



BONVUE ICE CREAM CAKE/ FREEZER DISPLAY

FICL RANGE

FICL-830V FICL-840V




Key Features



Exceptional Cooling Performance

Advanced low-temperature air-curtain system maintains -16 °C to -18 °C for superior product freshness.




Premium Visibility & Design

Triple-layer tempered glass with anti-fog technology ensures clear viewing and insulation.



Elegant, Durable Construction

Black glass base and stainless-steel exterior combine style with lasting durability.



Precise Temperature Control

Digital controller enables accurate and stable freezer management for consistent results.



FICL-830V
900x800x1350mm



FICL-840V
1200x800x1350mm



Product Design Overview

Triple-Layer Glass Insulation

Ensures stable internal temperature and minimal condensation.

Adjustable Glass Shelves

Flexible configuration for cakes and gelato containers.

Ventilated Front & Rear Grilles

Improves air circulation and heat dissipation.

Insulated Rear Doors

Easy access for restocking without temperature loss.

Energy-Efficient Cooling

Low power consumption with precise control.

Details

The Bonvue FICL Series Ice Cream Cake & Freezer Displays deliver professional-grade temperature control and elegant presentation in one striking unit. Designed for ice cream cakes, cold treats and frozen desserts, these displays feature advanced air-curtain technology that maintains a steady -16°C to -18°C range while minimising frost build-up and energy use.

Triple-layer tempered glass with an electrically heated anti-fog system provides crystal-clear visibility from all angles, while LED shelf lighting enhances colour and texture. With insulated rear doors for easy restocking and adjustable glass shelving, the FICL Series offers both practicality and presentation excellence. Its black glass base adds a refined aesthetic, perfectly suited for modern patisseries, cafés, and dessert bars.



LED Shelf Lighting

Highlights product colour and texture.



Triple-Layer Heated Glass

Prevents fogging and enhances visibility.



Digital Temperature Controller

Accurate cooling range from -16°C to -18°C .



Black Glass Base




Modern, sleek design with easy-clean finish.



Insulated Rear Doors

Convenient access while maintaining cold retention.

Product Summary



Code	Dimensions (W x D x H mm)	Weight (kg)	Temperature Range (°C)	Voltage	Ambient/ RH%	Power (kW/A)
FICL-830V	900x800x1350	200	-16 to -18	240	30/60	1.24/10
FICL-840V	1200x800x1350	240	-16 to -18	240	30/60	1.7/10

To ensure we continuously offer the best possible products, we reserve the right to modify specifications without any obligation for equipment previously or subsequently sold.

BONVUE ICE CREAM CAKE/ FREEZER DISPLAY

FICL RANGE

FICL-830V FICL-840V

